HIGH PERFORMANCE COATINGS







Specialty and protective custom coatings for any industry

US Coatings is a leading provider of high-performance coatings and linings. We custom tailor our industrial coating products to fit the needs of clients across a wide variety of markets. And we pride ourselves on offering superior customer service through the duration of the job.

Founded in 2000 in St. Louis, Missouri, US Coatings has emerged as a company doing business all over the country, with close connections spanning a vast number of specialty coatings markets. Despite this success, we're committed to remaining nimble enough to be able to take on any coatings challenge, large or small.

US Coatings is focused on building relationships with our customers so we're here before, during and after the sale with personalized attention to your project that our competitors can't match. More than just purveyors of paint, we take collaborating with our customers seriously, providing superior service throughout the course of your job.



FIRST LINE OF DEFENSE AGAINST CORROSION—FINISHES

We protect the gear tasked with pulling off the toughest jobs in the toughest environments. Railcars, trailers, agricultural and OEM equipment— heavy machinery of all stripes— must stand up to sustained abuse without fail.

US Coatings offers products for long-term durability and superior abrasion resistance. Our surface tolerant metal primers and high solids intermediate coats keep products looking like they're fresh off the assembly line and free from corrosion.

EXCELLENT PERFORMANCE



MULTIGRIP 7000 XP SERIES

ACRYLIC SILOXANE FINISH

HIGH PERFORMANCE



UREGRIP 3000 SERIES

HIGH SOLIDS ACRYLIC URETHANE FINISH

GOOD PERFORMANCE



AQUAGRIP 5100 SERIES

WATER REDUCIBLE ALKYD FINISH





LONG TERM PROTECTION—METAL PRIMERS

From structural steel through all those assorted metal surfaces scattered throughout an operation, there's no shortage of substrates in industrial facilities that need to be shielded from harsh chemicals, extreme temperatures and varying moisture levels.

From insulating to intumescent coatings, US Coatings has the coating systems to protect the metal surfaces in your facilities from the elements that threaten them.

EXCELLENT PERFORMANCE



MASTICGRIP® 2500 SERIES

HIGH SOLIDS ALUMINUM MASTIC EPOXY PRIMER

HIGH PERFORMANCE



EPOXYGRIP® 2300

HIGH SOLIDS SURFACE TOLERANT EPOXY PRIMER

GOOD PERFORMANCE



EPOXYGRIP® 2000 SERIES

EPOXY MASTIC PRIMER





ULTIMATE CORROSION PROTECTION—LININGS

Containment vessels like storage tanks, shipping containers and tanker truck interiors put unique pressures on their coatings. Whether chemical resistance, VOC concentrations or gloss level is the highest priority, US Coatings has the right product for protecting your assets. No matter what cargo.

EXCELLENT PERFORMANCE



GRIPLINE 6500 SERIES

100% SOLIDS NOVOLAC LINING

HIGH PERFORMANCE



GRIPLINE 6700 SERIES

HIGH-SOLIDS NOVOLAC FDA LINING

GOOD PERFORMANCE



GRIPLINE 6200 SERIES

100% SOLIDS HIGH BUILD LINING



	Trailers Agricultural Equipment & Implements Industrial & Materials Handling Equipment OEM After-market Equipment	EXCELLENT	Multigrip 7000 XP
FIOPCOATS		HIGH	UreGrip 3000 Series
		GOOD	Aquagrip 5100 Series
PRIMERS/ INTERMEDIATE COATS	Metal Components & Parts Ornamental Iron Structural Steel Railings Compressed Gas Cylinders Racks & Shelving	EXCELLENT	MasticGrip 2500 Series
		HIGH	EpoxyGrip 2300
		GOOD	EpoxyGrip 2000
LININGS	Refuse & Recycling Containers Oil/Water Separators Petro-chemical Storage Tanks	EXCELLENT	GripLine 6500
		HIGH	GripLine 6700
		GOOD	Gripline 6200

GENERIC TYPE	DURABILITY	GLOSS	SOLIDS	FEATURES /BENEFITS	DRY TIME TO TACK FREE	DRY TIME TO HANDLE/ RECOAT @ 70 F
Acrylic Siloxane	Excellent	90+	66%	Highly UV resistant	2-3 hrs	6-8 hrs
Acrylic- Urethane	Very Good	90+	76%	Excellent (DOI) depth of image	45-90 min	2-4 hrs
W/R Alkyd	Good	S/G-H/G	29%	WB, DTM, high gloss, 1K, fast dry	30 min	2-3 hrs
H/S Aluminum Mastic Epoxy	Excellent	N/A	>80%	Surface tolerant for marginal surfaces	8-12 hrs	24 hrs
100% Solids Epoxy Tie-Coat	Good	N/A	100%	Surface tolerant low stress coating	5 hrs	12 hrs
Solvented Amine Epoxy	Good	N/A	80%	Surface tolerant, DTM capability , very good chemical resistance	3-4 hours	6-8 hrs
Novolac Epoxy	Excellent	N/A	100%	Best in class tank lining, VOC, DTM. High build 20-80 mils	6-8 hrs	24 hrs
High Solids Novolac	Excellent	N/A	80%	Excellent as CUI coating, heat resistant up 450 F, Boiling water service capable	8 hours	36 hrs
100% Solids Epoxy	Very Good	N/A	100%	Single coat, high build, very good chemical resistance	12 hrs	24 hrs



US Coatings

2355 Weldon Parkway St. Louis, MO 63146 **Email** hello@uscoatings.com **Office** 314.205.1500

